Request for Sealed Quotations for Goods

Supply, Fabrication and Delivery of Structural Steelwork for the Tsumkwe Upgrade Project

Procurement Reference No: G/RFQ/NW-045/2027

Name of Bidder		
Contact Person		
E-mail Address		
Postal Address		
Total Amount N$ (Excl. VAT)		
Contact Phone number	**Work:**	**Mobile:**

Documents must be posted / delivered to:

The Quotation/Bid Box

Att: Procurement Management Unit (+264 61 71 2081, bids@namwater.com.na)

Namibia Water Corporation Ltd.
Private Bag 13389
176 Iscor Street, Aigams Building
Windhoek

Closing Date: Thursday, 03 December 2026 at 11h00
NO LATE BIDS WILL BE ACCEPTED!

NOTICE TO BIDDERS

- **Please take note of initializing all pages of the standard bidding document and initial all the supporting documents including company profiles, brochures, etc.**
- **Take note to sign all relevant pages as stipulated in the biddingstandard document.**
- **Copies of documents not certified by a Commissioner of Oath appointed in terms of the Justices of the Peace and Commissioners of Oaths Act.1963 (Act No. 16 of 1963) will not be accepted.**

Namibia Water Corporation Ltd.
Private Bag 13389, Windhoek, Namibia
Tel: +264 61 71 2066
Fax: +264 61 21 0741

Letter of Invitation

Name and Address of Bidder_____

Procurement Reference Number: G/RFQ/NW-045/2027

13 November 2026

Dear Bidder,

Supply, Fabrication and Delivery of Structural Steelwork for the Tsumkwe Upgrade Project

NamWater invites you to submit your best quote for the items described in detail hereunder.

Any resulting contract shall be subject to the terms and conditions referred to in the document.

Queries, if any, should be addressed to Procurement Management Unit (Tel: +264 61 71 2081, E-mail: bids@namwater.com.na) Private Bag 13389 Windhoek, Namibia.

Please prepare and submit your quotation in accordance with the instructions given or inform the undersigned if you will not be submitting a quotation.

Yours faithfully

Procurement Management Unit

SECTION I: INSTRUCTIONS TO BIDDERS

1. Rights of Public Entity

NamWater reserves the right:

(a) to split the contract as per the lowest evaluated cost per item, or

(b) to accept or reject any quotation; and

(c) to cancel the quotation process and reject all quotations at any time prior to contract award.

2. Preparation of Quotations

You are requested to quote for the items mentioned in Section III by completing, signing and returning:

(a) the Quotation Letter in Section II with its annex for Bid Securing Declaration*;*

(b) the List of Goods and Price Schedule Section III;

(c) the Specifications and Compliance Sheet in Section V; and

(d) any other attachment deemed appropriate.

You are advised to carefully read the complete Request for Sealed Quotations document, including the Special Conditions of Contract in Section VII, before preparing your quotation. The standard forms in this document may be retyped for completion but the Bidder is responsible for their accurate reproduction.

3. Validity of Quotations

The Quotation validity period shall be **120 days** from the date of submission deadline.

4. Eligibility Criteria

To be eligible to participate in this Quotation exercise, you should:

(a) Have a certified copy (certified by a Commissioner of Oath appointed in terms of the Justices of the Peace and Commissioners of Oaths Act.1963 (Act No. 16 of 1963)), of a full valid company Registration Document;

(b) Have an original or a certified copy (certified by a Commissioner of Oath appointed in terms of the Justices of the Peace and Commissioners of Oaths Act.1963 (Act No. 16 of 1963)), of a valid Good Standing Tax Certificate, as certified by the Commissioner of Oath;

(c) A valid good Standing Social Security Certificate;

(d) Have a valid certified copy (certified by a Commissioner of Oath appointed in terms of the Justices of the Peace and Commissioners of Oaths Act.1963 (Act No. 16 of 1963)), of Affirmative Action Compliance Certificate, proof from Employment Equity Commissioner that bidder is not a relevant employer, or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998 or a valid certified copy of the original document, as certified by the Commissioner of Oath;

(e) Submit signed Bid-securing Declaration.

(f) An undertaking on the part of the Bidder that the salaries and wages payable to its personnel in respect of this proposal are compliant to the relevant laws, Remuneration Order, and Award, where applicable and that it will abide to sub-clause 4.6 of the General conditions of Contract if it is awarded the contract or part thereof; and;

(g) Submit a minimum of one (1) reference letter from reputable entities whom the Bidder has supplied similar construction material in the last three (3) years, and handled successfully.

(h) Supporting information / literature for all the items offered to substantiate compliance, where applicable. These documents must be from the manufacturer or an authorised manufacturer's representative. Representatives must provide an authorised letter from the manufacturer confirming their status.

(i) Bids from service providers appearing on the ineligibility lists of African Development Bank, Asian Development Bank, European Bank for Reconstruction and Development, Inter-American Development Bank Group and World Bank Group shall be rejected.

Links for checking the ineligibility lists are available at:

- Republic of Namibia, Procurement Policy Unit

  https://egp2.gov.na/forms/SearchSuspendedBidders.jsf

- African Development Bank

  https://www.afdb.org/en/projects-operations/debarment-and-sanctions-procedures

- Asian Development Bank

  http://lnadbg4.adb.org/oga0009p.nsf/sancALLPublic?OpenView&count=999

- European Bank for Reconstruction and Development

  http://www.ebrd.com/pages/about/integrity/list.shtml

- Inter-American Development Bank Group

  http://www.iadb.org/en/topics/transparency/integrity-at-the-idb-group/sanctioned-firms-and-individuals,1293.html

- World Bank Group
  http://www.worldbank.org/en/projects-operations/procurement/debarred-firms

5. Bid Security/Bid Securing Declaration

Bidders are required to subscribe to a Bid Securing Declaration for this procurement process.

6. Delivery

Delivery shall be **6weeks** after acceptance/issue of Purchase Order. Deviation in delivery period shall be considered if such deviation is reasonable.

7. Sealing and Marking of Quotations

Quotations should be sealed in a single envelope, clearly marked with the Procurement Reference Number, addressed to the Public Entity with the Bidder's name and contact information at the back of the envelope.

8. Submission of Quotations

Quotations should be deposited in the Quotation/Bid Box located at Namibia Water Corporation Ltd Head office, Private Bag 13389, 176 Iscor Street, Aigams Building, Windhoek, not later than **03 December 2026 at 11h00**. Offers by post or hand delivered should reach Private Bag 13389 by the same date and time at latest. Late Offers will be rejected.
Quotations received by e-mail will not be considered.

9. Opening of Quotations

Quotations will be opened internally by the Public Entity immediately after the closing time referred to in instruction 8 above. A record of the Quotation Opening stating the name of the bidders, the amount quoted, the presence or absence of a Bid Security/Bid Securing Declaration, will be posted on the website of the Public Entity and available to any bidder on request within three working days of the Opening.

10. Evaluation of Quotations

NamWater shall have the right to request for clarifications in writing during evaluation. Substantially responsive offers shall be compared according to lifecycle cost to establish the lowest evaluated offer.

11. Technical Compliance

Bidders shall submit along with their quotations documents, catalogues and any other literature to substantiate compliance with the required specifications and to qualify deviations if any with respect to Public Entity's requirements.

The Specifications, Performance Requirements and Compliance Sheet details the minimum specifications of the goods/items to be supplied. The specifications have to be met but no credit will be given for exceeding the specifications.

12. Prices and Currency of Payment

Prices shall be fixed in Namibian Dollars.

13. Margin of Preference

Not Applicable

14. Award of Contract

The Bidder having submitted the lowest evaluated responsive quotation and qualified to supply the goods/items and related services shall be selected for award of contract. Award of contract shall be by issue of a Purchase Order/Letter of Acceptance in accordance with terms and conditions contained in Section VI: Contract Agreement and General Conditions of Contract.

NamWater may consider partially awarding of offers as per Items or Lots.

15. Notification of Award and Debriefing

The Public Entity shall after award of contract promptly inform all unsuccessful bidders in writing of the name and address of the successful bidder and the contract amount and post a notice of award on its website within seven days. Furthermore, the Public Entity shall attend to all requests for debriefing made in writing within 7 days of the unsuccessful bidders being informed of the award.

SECTION II: QUOTATION LETTER

(To be completed by Bidders)

[Complete this form with all the requested details and submit it as the first page of your quotation with the Price list and documents requested above. A signature and authorisation on this form will confirm that the terms and conditions of the RFQ prevail over any attachments. **If your quotation is not authorised, it will be rejected**.]

Quotation addressed to*:*	**NamWater**
Procurement Reference Number:	**G/RFQ/NW-045/2027**
Subject matter of Procurement:	**Supply, Fabrication and Delivery of Structural Steelwork for the Tsumkwe Upgrade Project**

We offer to supply the items listed in the attached List of Goods and Price Schedule as per the defined specifications, except for the qualified deviations [Bidder may delete this phrase in case of no deviation] and, in accordance with the terms and conditions stated in your Request for Quotations referenced above.

We confirm that we are eligible to participate in this Quotation exercise and meet the eligibility criteria specified in Section 1: Instruction to Bidders.

We undertake to abide ethical conduct during the procurement process and the execution of any resulting contract.

We have read and understood the content of the Bid Securing Declaration (BSD) attached hereto and subscribe fully to the terms and conditions contained therein. We further understand that this subscription could lead to disqualification on the grounds mentioned in the BSD.

The validity period of the Quotation is **……. days** from the date of the bid submission deadline.

We confirm that the prices quoted in the List of Goods and Price Schedule are fixed and firm and will not be subject to revision or variation, if we are awarded the contract **prior to the expiry** date of the quotation validity.

The delivery period offered from the date of issue of Purchaser Order/ Letter of Acceptance is as shown in the List of Goods items and Price Schedule.

Quotation Authorised by:

Name of Bidder		Company's Address and seal	
Contact Person			
Name of Person Authorising the Quotation:		Position:	Signature:
Date		Phone No./Fax	

Appendix to Quotation Letter

BID SECURING DECLARATION
(Section 45 of Act)
(Regulation 37(5) and 56(2))

Date: .....

Procurement Ref No.:.....

To: .....

I/We* understand that in terms of section 45 of the Act a public entity must include in the bidding document the requirement for a declaration as an alternative form of bid security.

I/We* accept that under section 45 of the Act, I/we* may be suspended or disqualified in the event of

(a) a modification or withdrawal of a bid after the deadline for submission of bids during the period of validity;

(b) refusal by a bidder to accept a correction of an error appearing on the face of a bid;

(c) failure to sign a procurement contract in accordance with the terms and conditions set forth in the bidding document, should I/We* be successful bidder; or

(d) failure to provide security for the performance of the procurement contract if required to do so by the bidding document.

I/We* understand this bid securing declaration ceases to be valid if I am/We are* not the successful Bidder

Signed: .....
[*insert signature of person whose name and capacity are shown*]

Capacity of:
[indicate legal capacity of person(s) signing the Bid Securing Declaration]

Name: .....
[insert complete name of person signing the Bid Securing Declaration]

Duly authorized to sign the bid for and on behalf of: [insert complete name of Bidder]

Dated on _____ day of _____, _____
[*insert date of signing]*

Corporate Seal (where appropriate)

[Note*: In case of a joint venture, the bid securing declaration must be in the name of all partners to the joint venture that submits the bid.]
delete if not applicable / appropriate

Republic Of Namibia

Ministry of Labour, Industrial Relations and Employment Creation

Written undertaking in terms of section 138 of the Labour Act, 2015 and section 50(2) (D) of the Public Procurement Act, 2015

1. EMPLOYERS DETAILS

Company Trade Name:……

Registration Number:...……...

Vat Number: ……

Industry/Sector: ……

Place of Business:……..

Physical Address:……..

Tel No.:……

Fax No.:…….

Email Address:……..

Postal Address:……..

Full name of Owner/Accounting Officer:……..……...

…….....

Email Address:……..

2. PROCUREMENT DETAILS

Procurement Reference No.:……

Procurement Description: ……..

……

……

Anticipated Contract Duration: …….

Location where work will be done, good/services will be delivered: ……..

……

3. UNDERTAKING

I …… *[insert full name]*, owner/representative

of ……*[insert full name of company]*

hereby undertake in writing that my company will at all relevant times comply fully with the relevant provisions of the Labour Act and the Terms and Conditions of Collective Agreements as applicable.

I am fully aware that failure to abide to such shall lead to the action as stipulated in section 138 of the labour Act, 2007, which include but not limited to the cancellation of the contract/licence/grant/permit or concession.

Signature: ……..

Date: ……..

Seal:…….

Please take note:

1. *A labour inspector may conduct unannounced inspections to assess the level of compliance*
2. *This undertaking must be displayed at the workplace where it will be readily accessible and visible by the employees rendering service(s) in relations to the goods and services being procured under this contract.*

SECTION IV: PRICED ACTIVITY SCHEDULE

Supply, Fabrication and Delivery of Structural Steelwork for the Tsumkwe Upgrade Project

Procurement Reference Number: **G/RFQ/NW-045/2027**

INSTRUCTIONS TO THE PUBLIC BODY	INSTRUCTIONS TO BIDDERS
At time of preparation of the RFQ, Columns A to I shall be filled in by the Public Entity. [*To be filled by the Public Entity*]	Bidders shall fill-in columns F, G & H and fill the total E= mark with a *if an equivalent is quoted. F= Rate per unit G=Total price for one item (C x F). If an equivalent is quoted, please attach to your quote appropriate technical information & specification. Bidders shall fill in and sign the bottom section of this page

A	B	C	D	F	G	H

Item no.	Description of Goods	Quantity	Unit of measure	Price per unit NAD[1]	Total price without VAT NAD	VAT: NAD
	Pre-fabricated Structural Steelwork - Pump House					
	Structural Steel Frame – 1 Unit					
1.	75x75x4 SHS columns incl. base plates	270	kg			
2.	75x75x4 SHS rafters	120	kg			
3.	50x50x4 SHS framing	180	kg			
4.	75x50x20x2.5 lipped channel purlins	95	kg			
5.	Anchor bolts, bolts & nuts complete	1	Sum			
	Roofing and Panels – 1 Unit					
6.	Klip-Lok roof sheeting	16	m^2			
7.	Expanded metal mesh panels complete	18	m^2			
8.	Ridge, flashings and closures	1	Sum			
	Coating & Corrosive Protection – 1 Unit					
9.	Red oxide primer system	60	m^2			

Item no.	Description of Goods	Quantity	Unit of measure	Price per unit NAD[1]	Total price without VAT NAD	VAT: NAD
10.	Final enamel paint coats	60	m^2			
11.	***Sub Total Pre-Fabricated Structural Steelwork - Pump House - 6 Units**	6	No.			
	Pre-fabricated Structural Steelwork – Air & Scour Valves Cages (900x900x900) – 14 Units					
12.	Pre-fabrication, Supply and Delivery of Air & Scour Valve cages (900x900x900) as per Specification and Drawing No. 15/8/2/16 -28R0.	14	No.			
	Transportation and Delivery					
13.	Total Pre-fabricated Structural Steelwork - Pump House for 6 Units at NamWater Stores	1	Sum			
14.	Total Pre-fabricated Structural Steelwork – Air & Scour Valves cages for 14 Units at NamWater Stores	1	Sum			
	Delivery period [Weeks]			**TOTAL		

NAME:	POSITION:	SIGNATURE	DATE
NAME OF BIDDER:	ADDRESS:		

Priced Activity Schedule Authorised By:

Name:		Signature:	
Position:		Date:	
Authorised for and on behalf of:		Company	

Note: Item 11 *Total Pre-fabricated Structural Steelwork – Pump House Unit price is the total of Item 1 to 10.
Note: **TOTAL = Sub Total from Item 11 to 14.

SPECIFICATIONS AND PERFORMANCE REQUIREMENTS
SECTION V: SPECIFICATIONS COMPLIANCE SHEET

Procurement Ref No. G/RFQ/NW-045/2027

SECTION IV: SPECIFICATIONS AND PERFORMANCE REQUIREMENTS

The Supplier shall manufacture, fabricate, coat, supply and deliver all structural steelwork complete with all associated steel members, roofing components, mesh panels, connection plates, fasteners, anchor bolts and accessories as specified herein and as indicated on the approved drawings.

All structural steelwork shall comply with the requirements of:

- **SANS 50025** – Hot Rolled Structural Steel Products.
- **SANS 657 Series** – Hot Rolled and Cold Formed Structural Steel Sections.
- **SANS 10162** – Structural Use of Steel.
- **SANS 2001-CS1** – Structural Steelwork.
- **SANS 1200 HB** – Structural Steelwork Fabrication and Erection.
- **SANS 10225** – Welding of Structural Steelwork.

All materials shall be new, free from defects, corrosion, warping, laminations and mechanical damage.

The Supplier shall provide mill certificates and certificates of compliance for structural steel materials upon request. All steelwork shall be shop fabricated and trial assembled where necessary to ensure proper fit-up before delivery. All prices shall include fabrication, welding, cutting, drilling, fitting, surface preparation, coating, loading, transportation, offloading and delivery to NamWater Stores.

The Pump House steelwork shall be supplied as a complete pre-fabricated structure ready for erection on site.

The complete assembly shall consist of:

- Structural steel frame.
- Roof support system.
- Roofing sheets.
- Expanded metal mesh wall panels.
- Base plates.
- Anchor bolts.
- Bolts, nuts and washers.
- Ridge cappings, flashings and closures.
- Protective coating system.

All fabrication dimensions shall comply with the approved project drawings.

All welds shall be continuous where required and executed by competent welders in accordance with SANS requirements.

All sharp edges, burrs and weld spatter shall be removed prior to coating.

Structural Steel Frame

Material Requirements

The structural frame shall comprise the following steel sections:

Columns

- 75 × 75 × 4 mm Square Hollow Sections (SHS).
- Complete with welded base plates.
- Base plates drilled to accommodate anchor bolts.
- Steel grade to comply with SANS 50025.

Rafters

- 75 × 75 × 4 mm SHS rafters.
- Fabricated in accordance with approved drawings.
- Steel grade to comply with SANS 50025.

Secondary Framing

- 50 × 50 × 4 mm SHS framing members.
- Used for wall framing, bracing and structural stability.
- Steel grade to comply with SANS 50025.

Roof Purlins

- 75 × 50 × 20 × 2.5 mm lipped channel sections.
- Cold formed galvanized steel.
- Complying with SANS 657.

Connections and Fasteners

The structure shall be supplied complete with:

- Anchor bolts.
- Structural bolts and nuts.
- Washers.
- Connection plates and cleats where required.

All bolts, nuts and washers shall:

- Be minimum Grade 8.8 unless otherwise specified.

- Comply with applicable SANS standards.
- Be supplied complete for installation.

Galvanized fasteners shall be preferred for external exposure conditions.

Roofing and Panel System

Klip-Lok Roof Sheeting

The roof covering shall comprise:

- Klip-Lok profiled roofing sheets.
- Factory-coated corrosion-resistant steel sheeting.
- Suitable for outdoor service conditions.

The roofing system shall include:

- Self-drilling fasteners.
- Weather seals.
- Closures.
- Ridge cappings.
- Flashings.

The completed roof installation shall provide a watertight structure.

Expanded Metal Mesh Panels

The wall panels shall consist of:

- Expanded metal mesh.
- Steel-framed mesh panels.
- Secure fixing to structural steel members.

The mesh shall be:

- Uniformly manufactured.
- Free from distortion and damage.
- Suitable for ventilation and security purposes.

Protective Coating and Corrosion Protection

Surface Preparation

Prior to coating all steel surfaces shall be:

- Cleaned of rust, grease, oil and contaminants.
- Prepared according to the coating manufacturer's recommendations.

Primer System

All steel surfaces shall receive:

- One coat Red Oxide Anti-Corrosive Primer.

The primer shall provide complete coverage of all steel surfaces including welds and cut edges.

Final Coating System

Following priming, all steelwork shall receive:

- Two coats high-quality enamel paint.

The final coating shall:

- Provide protection against atmospheric corrosion.
- Produce a uniform colour and finish.
- Be free from runs, pinholes and coating defects.

The total dry film thickness shall comply with the paint manufacturer's recommendations.

Quantity

The Supplier shall supply:

Pre-Fabricated Structural Steelwork – Pump House

Quantity: Six (6) Complete Units

Each unit shall include:

- Structural steel frame.
- Roofing system.
- Expanded mesh wall panels.
- Anchor bolts.
- Fasteners.
- Protective coating system.
- All accessories required for a complete installation.

Pre-Fabricated Structural Steelwork – Air and Scour Valve Cages General Requirements

The Supplier shall pre-fabricate, supply and deliver Air and Scour Valve Cages in accordance with:

Drawing No. 15/8/2/16-28R0

The cages shall be supplied complete and ready for installation.

Fabrication shall comply with:

- SANS 50025.
- SANS 657.
- SANS 10162.
- SANS 2001-CS1.

All steelwork shall be accurately cut, welded and assembled.

All welds shall be neat, continuous and free from defects.

Air and Scour Valve Cage (900 × 900 × 900 mm)

Material Requirements

The cage shall:

- Be fabricated to overall dimensions of 900 mm × 900 mm × 900 mm.
- Be manufactured in accordance with Drawing No. 15/8/2/16-28R0.
- Consist of structural steel framing and mesh infill panels.
- Be capable of protecting installed air valves and scour valves.
- Be supplied fully assembled or in modular sections as approved.

The cage shall include:

- Structural frame.
- Expanded metal mesh infill.
- Hinged access door where shown on the drawing.
- Locking arrangement.
- Bolts and fasteners.
- Protective coating system.

Protective Coating

All cages shall receive:

Primer

- One coat Red Oxide Primer.

Final Coating

- Two coats enamel paint.

The coating system shall provide adequate corrosion protection for outdoor exposure conditions.

Transportation and Delivery Requirements

All prices shall include:

- Supply of materials.
- Fabrication.
- Welding.
- Surface preparation.
- Painting and coating.
- Packaging.
- Loading at source.
- Transportation.
- Offloading.
- Insurance during transit.
- Delivery to NamWater Stores.

No separate payment shall be made for transport, loading, offloading, packaging or handling costs.

SECTION V: SPECIFICATIONS AND COMPLIANCE SHEET

Bidders should complete column C with the specification offered. Attach detailed technical literature. Authorise the specification offered in the signature block below.

Item No	Technical Specification Required	Compliance of Specification Offered	Details of Non-Compliance/ Deviation (if applicable)
*A**	*B**	*C*	*D*
1	**6x Pre-fabricated Structural Steelwork for Borehole Pump House**		
	Pre-fabricated Structural Steelwork Pump House complete with structural frame, roofing, mesh panels, coatings, fasteners and accessories as specified.	Yes/No	
2	**14 x Pre-fabricated Air and Scour Valve Cages**		
	Pre-fabricated Air and Scour Valve Cages (900 × 900 × 900 mm) complete and in accordance with Drawing No. 15/8/2/16-28R0.	(Yes/No)	
3	**Delivery**		
	Transportation, offloading and delivery of all steelwork to NamWater Stores included in the quoted rates.	Yes/No	

SECTION VI: GENERAL CONDITIONS OF CONTRACT AND CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Goods (Ref. **G/RFQ-GCC**) *(available at public entities physical address/website: https://eprocurement.gov.na/documents/-/document_library/ycvk/view/53613* except where modified by the Special Conditions below.

SECTION VI: CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Goods except where modified by the Special Conditions below.

SECTION VIII: SPECIAL CONDITIONS OF CONTRACT

Procurement Ref No. G/RFQ/NW-045/2027

The clause numbers given in the first column correspond to the relevant clause number of the GCC.

Subject and GCC clause reference	Special Conditions
Purchaser GCC 1.1(h)	The purchaser is: Namibia Water Corporation Ltd
Site GCC 1.1(m)	The Site/final destination for delivery of the Goods is **Windhoek, Namwater HQ Store**
Incoterms Edition GCC 4.2(b)	Incoterms shall be governed by the rules prescribed in Incoterms 2010.
Notices GCC 8.1	Any notice shall be sent to the following addresses: For NamWater Ltd the address and the contact name shall be: Procurement Management Unit (Tel: +264 61 71 2081), E-mail: bids@namwater.com.na Private Bag 13389 Windhoek, Namibia For the Supplier, the address and contact name shall be: _____


Subject and GCC clause reference	Special Conditions
Disputes GCC 10.2	The rules of procedures for arbitration proceedings pursuant to GCC 10.2 shall be as follows: In the case of a dispute between the Purchaser and a Supplier, the dispute shall be arbitrated in accordance with Arbitration Act, 1965 (Act No. 42 of 1965).
Delivery and Documents GCC 13.1	The Goods are to be delivered within **6 weeks** from the date of Purchase Order or Letter of Acceptance. The documents to be furnished by the Supplier are: (a) signed delivery note and Invoice
Terms of Payment GCC 16.1	The structure of payments shall be: full payment following complete delivery of the Supplies and submission of an invoice and the documents listed in clause 13.1
Terms of Payment GCC 16.3	Payments shall be made not later than thirty days after month of invoicing and submission of an invoice and its certification by the Purchaser.
Terms of Payment GCC 16.4	The currency of payment shall be the currency of order specified in the List of Goods, Price Schedule and Product details in the Statement of Requirements.
Performance Security GCC 18	Not Applicable
Packing GCC 23.2	The packing, marking and documentation within and outside the packages shall be: **G/RFQ/NW-045/2027: Supply, Fabrication and Delivery of Structural Steelwork for the Tsumkwe Upgrade Project** **Aigams Building** **Northern Industrial Area** **Windhoek**
Insurance GCC 24	The insurance should be covered as described in **Delivery Duty Paid (DDP)**
Transportation GCC 25	The Goods shall be delivered: **Delivery Duty Paid (DDP)**
Inspection and Tests GCC 26.	NamWater will inspect all items upon delivery to ascertain Technical compliance and specification compliance verification.
Liquidated Damages GCC 27	Liquidated damages for the whole contract are 1/14% per day. The maximum amount of liquidated damages for the whole contract is 14% of the final contract price.
Warranty GCC 28.3	The period of validity of the warranty shall be: 12 Months

3.1. Schedule 3: Quotation Checklist Schedule


Procurement Ref No. G/RFQ/NW-045/2027

Description	Attached	Not Attached
Quotation Letter		
List of Goods and Price Schedule		
Specifications Compliance Sheet		
Evidences for conformity of Goods		
valid copy of company registration / founding statement. **(certified by a Commissioner of Oath appointed in terms of the Justices of the Peace and Commissioners of Oaths Act.1963 (Act No. 16 of 1963)**		
Original or certified copy of valid good Standing TAX Certificate; **(certified by a Commissioner of Oath appointed in terms of the Justices of the Peace and Commissioners of Oaths Act.1963 (Act No. 16 of 1963)**		
Valid good Standing Social Security Certificate;		
A certified copy of a valid Affirmative Action Compliance Certificate, or proof from Employment Equity Commissioner that bidder is not a relevant employer, or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998; **(certified by a Commissioner of Oath appointed in terms of the Justices of the Peace and Commissioners of Oaths Act.1963 (Act No. 16 of 1963)**		
Submit signed Bid-securing Declaration.		
An undertaking on the part of the Bidder that the salaries and wages payable to its personnel in respect of this proposal are compliant to the relevant laws, Remuneration Order, and Award, where applicable and that it will abide to sub-clause 4.6 of the General conditions of Contract if it is awarded the contract or part thereof; and		
Supporting information / literature for all the items offered to substantiate compliance, where applicable. These documents must be from the manufacturer or an authorised manufacturer's representative. Representatives must provide an authorised letter from the manufacturer confirming their status.		


15/8/2/16-28R0




DETAIL 1
SECTION OF CAGE FIXING
SCALE 1 : 2




DETAIL 2
PLAN OF CAGE FIXING
SCALE 1 : 1




DETAIL 3
TYPICAL DETAIL OF CAGE CORNER
SCALE 1 : 1




PLAN ELEVATION
SCALE 1 : 10




DETAIL 4
SECTION OF LOCKING DEVICE
SCALE 1 : 2




DETAIL 5
DOOR HINGE: FRONT ELEVATION
SCALE 1 : 2



FRONT ELEVATION
SCALE 1 : 10



SIDE ELEVATION
SCALE 1 : 10



DETAIL 5
DOOR HINGE: SECTION
SCALE 1 : 1

NOTES :

1. CAGES SHALL BE PAINTED WITH ONE COAT OF SELF-ETCHING PRIMER AND ONE COAT OF PROVONITE.
2. STEEL PROFILES TO BE ACCORDING TO SABS 1431, GRADE 300 W
3. WELDING ACCORDING TO SABS 044
4. BOLTS, NUTS AND WASHERS TO SABS 135 – 1985 GRADE 4.6
5. ON SUPPLY AND DELIVERY CONTRACTS, THE CHEMICAL ANCHORS MUST BE INCLUDED WITH THE CAGE.
6. ALL WELDS ARE TO BE 5mm CONTINUOUS FILLET UNLESS OTHERWISE STATED
7. TOTAL NUMBER OF CAGES REQUIRED = 29

MH TYPE	MAINLINE	WW100329 TO A	WW100330 TO B
AIR VALVE	10	2	2
SCOUR VALVE	6	1	1
ONE (1) INLET FLOW METER MANHOLE CAGE AT TOWER			
FIVE (5) FROM WW100370 & WW100332 TO CULVERT			

NO.	AMENDMENTS	DATE	BY
0	ISSUED FOR BID PURPOSE ONLY	09/2023	SJ

NAMWATER
Namibia Water Corporation Ltd

SCHEME
TSUMKWE WSS

DRAWING
TSUMKWE EXTENSION & UPGRADE
AIR/SCOUR VALVE STEEL CAGE DETAILS

SURVEYED	DRAWN	TRACED
	S. IYAMBO	AUTOCAD
DESIGNED CIVIL	DESIGNED ELEC.	DESIGNED MECH.
S. IYAMBO		
CHECKED CIVIL	CHECKED ELEC.	CHECKED MECH.
O. KAVETUNA		
APPROVED CIVIL	APPROVED ELEC.	APPROVED MECH.
W. ANDERSON		


MANAGER: CIVIL DESIGN

DATE	SCALE	SHEET NO.
09/2023	AS SHOWN	1 OF 1


REGISTRATION NO. 15/8/2/16-28R0

15/4/17/7 -DWG 16 R0


Borehole Pumphouse structure
Pre-fabricated




6 3D View
1 : 1




4 Site layout
1 : 50



2 FRONT ELEVATION
1 : 25



1 BACK ELEVATION
1 : 25



3 SIDE ELEVATION
1 : 25

NOTES

THIS DRAWINGS MUST BE READ IN CONJUCTION WITH THE RELEVENT ARCHITECTURAL BRAWINGS.

1. NO PART OF THIS DRAWING SHOULD BE SCALED.

2. ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMENCEMENT OF ANY WORK.

3. ALL MATERIALS AND WORKSMANSHIP ARE TO BE IN ACCORDANCE WITH THE LATES EDITION OF THE STANDARTIZED SPECIFICATION, SABS 1200 AND THE STANDARDS RERERED TO THEREIN.

4. ALL ECXAVATIONS TO BE APPROVED BY ENGINEER PRIOR TO CASTING OF ANY CONCRETE .

5. ENGINEER TO APPROVE FIXING OF REINFORCEMENT PRIOR TO CASTING OF CONCRETE.

CONCRETE

(a). STRENGTH, MAX. AGGREGATE SIZE & COVER

BLINDING	: CLASS 10MPa/19mm	
STRIP FOUNDATIONS	: CLASS 25MPa/19mm	50mm
R.C.SLABS	: CLASS 30MPa/19mm	30mm
R.C.BEAMS	: CLASS 30MPa/19mm	30mm
R.C.COLUMNS	: CLASS 30MPa/19mm	30mm
R.C.FOOTING (ALL FACES)	: CLASS 30MPa/19mm	50mm

STRUCTURAL STEEL NOTES

ALL STEEL TO BE MILD STEEL GRADE 300W.

ALL STRUCTURAL STEEL TO BE WORKSHOP PRE-ASSEMBLED.

ALL WELDS TO BE 6mm CONTINUOUS FILLET WELDS WITH AN E70XX ELECTRODE UNLESS SPECIFIED OTHERWISE.

UNLESS SPECIFIED OTHERWISE, ALL WELDS TO BE ON BOTH SIDES

SURFACE TREATMENT

ALL STEEL TO BE OIL AND GREASE FREE, WIRE BRUSH.

PRIMER COAT-
TWO COATS OF RED OXIDE PRIMER TO MINIMUM DRY FILM.

THICKNESS OF 40 MICRONS IN WORKSHOP.

FINAL COAT-

ENAMEL PAINT-
COLOUR CODE TO ARCHITECTURAL SPACIFICATIONS. TO MINIMUM DRY FILM THICKNESS OF 30 MICRONS. TOUCH UP OF SCRACHTED PAINT AFTER ERECTION.

NO.	AMMENDMENTS	DATE	BY
0	ISSUED FOR BIDDING PURPOSES	10/2023	J.S.K

NAMWATER
Namibia Water Corporation Ltd

SCHEME
TSUMKWE EXTENSION & UPGRADE

DRAWING
Pump-house Site Layout & Elevations


SURVEYED	DRAWN J. KENDAWALA	TRACED REVIT
DESIGNED CIVIL J.S KEENDAWALA	DESIGNED ELEC.	DESIGNED MECH.
CHECKED CIVIL Checker	CHECKED ELEC.	CHECKED MECH.
APPROVED CIVIL Approver	APPROVED ELEC.	APPROVED MECH.

MANAGER: CIVIL DESIGN


DATE	SCALE	SHEET NO.
10/2023	As indicated	1 OF 1

REGISTRATION NO.
15/8/2/16-33R0


15/8/2/16-34R0



1 Framing structure
1 : 25



3 3D View Structural (6 No. OFF)



2 Mid-level
1 : 25

ROOF STRUCTURE MATERIAL

Roof SLOPE 7,6 deg
CHORD - Single 75 X 50 X 2.5mm LIPPED CHANNEL

ALL PURLINES 75 X 50 X 20 X 2.5mm COLD FORMED LIPPED CHANNEL.

KLIP LOK ROOF SHEETS ON STRUCTURE

50 x 25mm Expanded Metal Mesh cut to fit dimension & welded on a frame of L 30 X 30 X 3mm EQUAL ANGLE


50 X 50 X 4mm SQUARE HOLLOW framing

75 X 75 X 4mm SQUARE HOLLOW COLUMN

H.D.BOLT PLATES & BOLTS into concrete SLAB EDGE BEAM & level up with top of SLAB.

600 X 300mm SLAB EDGE THICKENING

200mm Thick concrete SLAB With welded mesh REF: No. 245 on MICRON DPM ON 150mm SAND LAYER COMPACTED to 95% MOD. AASHTO.



5 Section 5 DWG
1 : 20

NOTES

THIS DRAWINGS MUST BE READ IN CONJUCTION WITH THE RELEVENT ARCHITECTURAL BRAWINGS.

1. NO PART OF THIS DRAWING SHOULD BE SCALED.

2. ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMENCEMENT OF ANY WORK.

3. ALL MATERIALS AND WORKSMANSHIO ARE TO BE IN ACCORDANCE WITH THE LATES EDITION OF THE STANDARTIZED SPECIFICATION, SABS 1200 AND THE STANDARDS RERERED TO THEREIN.

4. ALL ECXAVATIONS TO BE APPROVED BY ENGINEER PRIOR TO CASTING OF ANY CONCRETE..

5. ENGINEER TO APPROVE FIXING OF REINFORCEMENT PRIOR TO CASTING OF CONCRETE.

CONCRETE

(a). STRENGTH. MAX. AGGREGATE SIZE & COVER.

BLINDING	: CLASS 10MPa/19mm	
STRIP FOUNDATIONS	: CLASS 25MPa/19mm	50mm
R.C.SLABS	: CLASS 30MPa/19mm	30mm
R.C.BEAMS	: CLASS 30MPa/19mm	30mm
R.C.COLUMNS	: CLASS 30MPa/19mm	30mm
R.C.FOOTING (ALL FACES)	: CLASS 30MPa/19mm	50mm

STRUCTURAL STEEL NOTES

ALL STEEL TO BE MILD STEEL GRADE 300W.

ALL STRUCTURAL STEEL TO BE WORKSHOP PRE-ASSEMBLED.

ALL WELDS TO BE 6mm CONTINUOUS FILLET WELDS WITH AN E70XX ELECTRODE UNLESS SPECIFIED OTHERWISE.

UNLESS SPECIFIED OTHERWISE, ALL WELDS TO BE ON BOTH SIDES

SURFACE TREATMENT

ALL STEEL TO BE OIL AND GREASE FREE. WIRE BRUSH

PRIMER COAT-
TWO COATS OF RED OXIDE PRIMER TO MINIMUM DRY FILM.

THICKNESS OF 40 MICRONS IN WORKSHOP.

FINAL COAT-

ENAMEL PAINT-
COLOUR CODE TO ARCHITECTURAL SPACIFICATIONS, TO MINIMUM DRY FILM THICHNESS OF 30 MICRONS. TOUCH UP OF SCRACHTED PAINT AFTER ERECTION.

NO.	AMMENDMENTS	DATE	BY
0	ISSUED FOR BIDDING PURPOSES	10/2023	J.S.K

NAMWATER
Namibia Water Corporation Ltd

SCHEME
TSUMKWE EXTENSION & UPGRADE

DRAWING
Steel Framing structure

SURVEYED	DRAWN J. KENDAWALA	TRACED REVIT
DESIGNED CIVIL Designer	DESIGNED ELEC.	DESIGNED MECH.
CHECKED CIVIL Checker	CHECKED ELEC.	CHECKED MECH.
APPROVED CIVIL Approver	APPROVED ELEC.	APPROVED MECH.

MANAGER: CIVIL DESIGN

DATE	SCALE	SHEET NO.
	As indicated	

REGISTRATION NO.
15/8/2/16-34R0